

Product	Active ingredient(s)	Maximum rate/ha	EAMU no.	Notes
Basagran SG MAPP 08360	bentazone 87%	0.825kg	EAMU 2819/08 - 09/09/2099	This product must not be applied to ornamental plant production during flower bud formation.
Betasana SC MAPP 14209	phenmedipham 16%	3L	EAMU 2050/15 - 15/08/2027	The use is only authorised on outdoor field grown ornamental plants and does not cover protected crops nor container grown ornamental plant production (other brands available)
Boxer MAPP 19536	florasulam 5%	0.10L	EAMU 0450/23 - 30/06/2033	For autumn planted crops a maximum total dose of 3.75 g of florasulam (75ml product/ha) must be observed for applications made between crop emergence in the year of planting and February 1st in the year of harvest. (Paramount, Lector, Solstice also approved)
Butisan S MAPP 16569	metazachlor 50%	1.5L	Label approval - 30/04/2029	Applications shall be limited to a total dose of not more than 1.0 kg metazachlor/ha in a three year period in the same field. Rapsan Solo, Sultan SC and other brands available
Centium 360 CS MAPP 18719	clomazone 36%	0.33L	EAMU 0743/19 - 30/04/2026	Pre-crop emergence only (Cirrus CS, Gamit36 CS also approved)
Centurion Max MAPP 17911	clethodim 12%	1.8L/ha	EAMU 2336/22 - 30/11/2025	Protective clothing and 6 weeks re-entry after treatment for protected crops. Application only between March and September.
Debut MAPP 18766	Triflurosulfuron-methyl 50%	0.03kg	EAMU 4268/19 - 30/06/2026	Before end July in year of application
Defy MAPP 16202	prosulfocarb 80%	5L	EAMU 1431/13 - 30/04/2026	Before pre emergence of the crop. This product must not be applied via handheld equipment. (other brand products available)
Devrinol MAPP 19358	napropamide 45%	7L	EAMU 0168/20 - 12/01/2025	Workers must wear suitable protective clothing in which arms, body and legs are fully covered and suitable protective gloves* when re[1]entering treated areas or handling treated crops or contaminated surfaces within 13 weeks after treatment. *Meeting at least glove safety standard EN374-2:2014, Level 2. Such gloves can be identified by a CE Mark with four digits below, and the EN374 pictogram for micro-biological hazards.
Dow Shield 400 MAPP 19874	clopyralid 40%	0.5L	EAMU 1089/22 - 31/08/2026	This product is expected to be particularly important for several field grown flower crops including gladioli, lilies, pinks, peonies and sweet Williams. The application method is via conventional hydraulic horizontal boom sprayer in a minimum of 200 litres of water per hectare. The product must only be applied to plants of up to a maximum height of 50cm. Do not use between the 31st August and 1st March
Dual Gold MAPP 14649	S-metolachlor 96%	0.78L	EAMU 0501/12 - 15/05/2027	Application may only be made between 1 May - 31 May.
Eagle MAPP 20708	amidosulfuron 75%	0.04kg	EAMU 1954/23 - 30/06/2026	
Efeckt MAPP 19328	ethofumesate 50%	0.6L	EAMU 2597/23 - 30/04/2034	3 weeks handling restriction and protective clothing, dormant crops
Finalsan MAPP 13102	pelargonic acid 18.67%	170L	Label approval - 28/02/2026	Only apply between 1st May and 1st September.
Flexidor MAPP 18042	isoxaben 50%	0.5L	Label approval - 28/02/2027	
Goltix 70SC MAPP 16638	metamitron 70%	2L	EAMU 0278/22 - 29/02/2028	After final harvest of the crop. Applications must be made either pre-emergence or post-harvest of the crop.(other products available Devoid, Clayton Devoid)

Product	Active ingredient(s)	Maximum rate/ha	EAMU no.	Notes
Hurricane SC MAPP 16027	diflufenican 50%	0.25L	EAMU 3440/18 - 30/06/2026	Before end February in year of application 0.25L. Before end April in year of application 0.2L (Sempra XL also available)
Katoun Gold MAPP 20173	pelargonic acid 50%	22.5L	Label approval - 28/02/2026	
Kyleo MAPP 16567	2,4-D and glyphosate 16%+24%	5L	Label approval - 09/09/2099	Stubbles of crops (other brand products available)
Laser MAPP 17339	cycloxydim 20%	2.25L	EAMU 0437/17 - 30/11/2025	Handling restrictions with SRSU gloves for 18 days
Nirvana MAPP 14256	imazamox and pendimethalin 1.67% + 25%	4.5L	EAMU 2894/09 - 09/09/2099	
Praxim MAPP 20209	metobromuron 50%	2.0L	EAMU 2648/22 - 30/06/2027	Pre-emergence BBCH 00 to BBCH 08, This product must not be applied via hand-held equipment when used outdoors. (other products available)
Samson Extra 6% MAPP 20191	nicosulfuron 6%	0.75L	EAMU 2418/22 - 30/06/2025	The latest time of application is between May and early June. Before mid June in the year of treatment. (other brands and concentrations available)
Sencorex Flow MAPP 18895	metribuzin 60%	1.15L	EAMU 3103/19 - 15/08/2027	Pre-crop emergence. This product must not be applied using hand-held application equipment.
Shark MAPP 18700	carfentrazone-ethyl 6%	0.8L	Label approval - 09/09/2099	Before planting or production (other brands available)
Springbok MAPP 16786	dimethenamid-P and metazachlor 20%+20%	2.5L	EAMU 3006/14 - 09/09/2099	Pre-emergence. This product must not be applied via hand-held equipment.
Starane Hi-Load HL MAPP 16557	fluroxypyr 33.3%	0.6L	EAMU 0942/21 - 30/06/2027	When applying by hand-held equipment the maximum in-use concentration must not exceed 18 ml product in 10 litres water for 1 application per season; and not exceed 15 ml product in 10 litres water for 2 applications per season.
Starane XL MAPP 19775	florasulam and fluroxypyr 0.25% + 10%	1.5L	EAMU 2516/23 - 30/06/2027	Latest time of application is end of flowering. Applications to crops made between 1st September and 31st December can be made up to a maximum individual dose of 1.5 L/ha. A split application may be applied up to a maximum total dose of 1.5 L/ha where weed germination takes place over an extended period. The maximum total dose of florasulam applied to the crop must not exceed 7.5g per year. Only one application must be made to a crop between September and February 1st.
Stomp Aqua MAPP 14664	pendimethalin 45.5%	2.9L	EAMU 2919/09 - 09/09/2099	
Sunfire MAPP 16745	flufenacet 50%	0.48L	EAMU 1065/17 - 30/04/2026	Workers must wear suitable protective gloves* when handling treated crops or contaminated surfaces. Prior to weed emergence
Titus MAPP 20363	rimsulfuron 25%	0.05kg	EAMU 3650/22 - 15/02/2028	Latest time of application: before most advanced plants are 25cm high. This product may only be applied from 1 February in the year of application until the specified latest time of application

Product	Active ingredient(s)	Maximum rate/ha	EAMU no.	Notes
Venzar 500SC MAPP 18799	lenacil 50%	0.4L	EAMU 4263/19 - 30/06/2026	Before end July in year of application. A maximum total dose of 500g/l lenacil per hectare may only be applied every third year on the same field.
Wing-P MAPP 15425	dimethenamid-P and pendimethalin 21.25% + 25%	3.5L	EAMU 0253/13 - 09/09/2099	Pre-crop emergence. This product must not be applied via hand-held equipment.