

# **Grower Summary**

Realising Increased Photosynthetic Efficiency to Increase Strawberry Yields

SF TF 170 CTP\_FCR\_2018\_2

Annual report 2021

**Project title:** Realising Increased Photosynthetic Efficiency to Increase Strawberry Yields **Project number:** CTP\_FCR\_2018\_2 **Project leader:** Nicholas Doddrell Report: Annual Report 2021 **Previous report:** Annual Report 2020 Key staff: Dr Andrew Simkin **Professor Carol Wagstaff** Location of project: **NIAB EMR Industry Representative:** Harriet Duncalfe Date project commenced: 01/10/2018

#### **DISCLAIMER**

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document.

© Agriculture and Horticulture Development Board 2019. No part of this publication may be reproduced in any material form (including by photocopy or storage in any medium by electronic mean) or any copy or adaptation stored, published or distributed (by physical, electronic or other means) without prior permission in writing of the Agriculture and Horticulture Development Board, other than by reproduction in an unmodified form for the sole purpose of use as an information resource when the Agriculture and Horticulture Development Board or AHDB Horticulture is clearly acknowledged as the source, or in accordance with the provisions of the Copyright, Designs and Patents Act 1988. All rights reserved.

All other trademarks, logos and brand names contained in this publication are the trademarks of their respective holders. No rights are granted without the prior written permission of the relevant owners.

## **AUTHENTICATION**

We declare that this work was done under our supervision according to the procedures described herein and that the report represents a true and accurate record of the results obtained.

Nicholas Doddrell	
PhD Student	
NIAB EMR	
Signature NOodeveu	Date30/10/20
Dr Andrew Simkin	
Group Leader	
NIAB EMR	
Signature	Date
Report authorised by:	
[Name]	
[Position]	
[Organisation]	
Signature	Date
[Name]	
[Position]	
[Organisation]	
Signature	Date

#### **GROWER SUMMARY**

#### Headline

This project aims to improve strawberry fruit yield per hectare and strawberry fruit quality by increasing leaf photosynthetic performance through genetic manipulation of relevant enzymes.

### **Background**

As the global population continues to rise and climate change threatens current crop yields, new solutions are required to increase agricultural and horticultural productivity. Early studies have suggested that photosynthetic efficiency is a limiting factor on maximised crop growth and thus represents a target for improving yield. Previous work has demonstrated that genetically manipulating a key process of photosynthesis (the Calvin-Bensom Cycle, CBC) results in an increase in biomass yield and grain yield in tobacco and wheat respectively. Enhancing photosynthesis through genetic manipulation of this process is therefore demonstrative of a viable and effective method for improving photosynthetic efficiency across species. This project continues this line of research.

This work is being carried out in cultivated strawberry (*Fragaria x ananassa Duch.*), as current research in this area aims to understand how fundamental research in model plants, such as Tobacco and Arabidopsis, can be applied to crops. I will aim to determine if improvement of the CBC, through genetically manipulating one or multiple enzymes, results in changes to total biomass, harvestable yield, and developmental characteristics. Another key area of my research is to ascertain if enhanced photosynthesis, increased total biomass and increased fruit yield affect strawberry fruit quality. I will investigate this using a range of analytical chemistry techniques to study if or how key flavour and nutritional compounds differ between genetically modified and unmodified lines.

# **Summary**

In the first year of this project, plasmids (loops of DNA) containing the CBC enzyme SBPase (sedoheptulose-1,7-bisphosphatase) and the starch synthesis enzyme AGPase (adenosine diphosphate glucose pyrophosphorylase) were constructed. Insertion of these plasmids (transformation) into strawberry leaves and subsequent regeneration of transformed plants from this tissue were tested in a range of cultivars. Regeneration was shown to be successful for the cultivar Calypso and the experimental line EMR 773. Successfully transformed and fully regenerated plants of Calypso have been generated after extensive troubleshooting of the transformation method. EMR 773 was found to be recalcitrant to regeneration, though

transformation of the tissue is achievable. Greater than 50 rooting transgenic Calypso lines have been successfully generated with the double expressing construct and are now ready for genetic selection and subsequent phenotyping.

Methods for extracting and analysing flavour components of strawberry fruit have also been developed in preparation for understanding how manipulating primary carbon metabolism in the leaf influences secondary carbon metabolism of strawberry fruit flavour. Initial results have identified the high sensitivity of flavour compounds to different extraction methods, fruit age and cultivar type, highlighting the need for strict controls in this field of analysis.

Extensive field work has been carried out examining the influence of polytunnel row position on photosynthesis and yield of strawberry. Plants grown in row 4 have shown approximately 10 % - 20 % greater photosynthesis; this is in line with a historical 10 % - 15 % greater yield of row 4 strawberries. Yield data has shown that, in the centre of the polytunnel, rows 3 and 4 yield approximately 17 % greater than rows 1 and 6. While row 4 was found to be the highest yielding row, row 3 had a similar yield (a difference of ~1.5 %). This segregation of yield between inner and outer rows may be indicative of marginally warmer temperatures generating more favourable growth conditions in the centre of a polytunnel. Historical yield differences between row 4 and all other polytunnel rows may derive from yield differences at polytunnel ends. To further understand this, leaf samples have been harvested, processed, and sent off for RNAseq to better understand the genetic underpinnings of these findings.

#### **Financial Benefits**

While it is difficult to ascertain exact financial payoffs at this stage of the project, it is reasonable to hypothesise that the project will have similar benefits on fruit growth and quality of carbon dioxide enrichment, as this also improves atmospheric carbon assimilation. This method, employed extensively by the Dutch horticultural industry, has been shown to increase strawberry fruit soluble sugar by up to 20 % (Wang and Bunce, 2004) and roughly double fruit dry weight production per plant (Sun et al., 2012). These data imply that genetic manipulation may also be capable of improving both fruit yield and quality, which could result in large monetary returns for growers.

#### **Action Points**

There are no action points for growers at this stage.